




CANINE & FELINE GRASS ALLERGENS

SWEET VERNAL

(*Anthoxanthum odoratum*)



*April - July

PERENNIAL RYE

(*Lolium perenne*)



*May - August

MEADOW FESCUE

(*Festuca elatior*)



*May - September

MEADOW GRASS


(*Poa pratensis*)



*May - September

TIMOTHY GRASS

(*Phleum pratense*)



*May - September

REDTOP

(*Agrostis alba*)



*May - September

ORCHARD GRASS

(*Dactylis glomerata*)



*June - September

TIPS ON REDUCING EXPOSURE

- Exercise your pet on well-cut paths and pavements; avoiding areas with long flowering grasses
- Regularly groom, wipe over with a damp cloth or rinse your pet off with water, especially after exposure to long grass
- Mow your lawn regularly to keep the grass short
- Keep your pet indoors when grass is being cut in the area
- Monitor your local pollen forecast
- Be aware that species related to the named allergen can also be problematic

*Approximate flowering time



To download a printable version visit nextmunelaboratories.co.uk/login

Nextmune Laboratories Limited, Unit 651, Street 5, Thorp Arch Trading Estate, Wetherby, UK, LS23 7FZ
T – 01494 629979 E – vetorders.uk@nextmune.com



CANINE & FELINE WEED ALLERGENS

DANDELION (*Taraxacum officinale*)



*March - October

PLANTAIN (*Plantago lanceolata*)



*April - September

RED CLOVER (*Trifolium pratense*)



*May - October

OX-EYE DAISY (*Chrysanthemum leucanthemum*)



*June - August

DOCK (*Rumex crispus*)



*June - September

NETTLE (*Urtica dioica*)



*June - September

LAMB'S QUARTERS (*Chenopodium album*)



*July - September

MUGWORT (*Artemisia vulgaris*)



*July - September

RAGWEED (*Ambrosia artemisiifolia*)



*August - October

TIPS ON REDUCING EXPOSURE

- Keep your garden weed-free as much as possible
- Exercise your pet on well-cut paths and pavements; avoiding areas with an overgrowth of weeds
- Regularly groom, wipe over with a damp cloth or rinse your pet off with water, especially after exposure to weeds
- Monitor your local pollen forecast
- Be aware that species related to the named allergen can also be problematic

*Approximate flowering time


To download a printable version visit nextmunelaboratories.co.uk/login





CANINE & FELINE TREE ALLERGENS

HAZELNUT (Corylus americana)




*January - April

ALDER (Alnus serrulata)



*February - April

WILLOW (Salix nigra)



*March - May

ASH (Fraxinus americana)



*April - May

BEECH (Fagus grandifolia)



*April - May

BIRCH (Betula populifolia)



*April - May

OAK (Quercus rubra)



*April - May

PRIVET (Ligustrum vulgare)



*June - July

TIPS ON REDUCING EXPOSURE

- Avoid exercise routes around wooded areas
- Keep hedges well cut to limit flowering
- Avoid areas with high concentrations of the named allergen e.g. beech woods
- Remember that tree pollens are seasonal with many species flowering early in the year
- Be aware that species related to the named allergen can also be problematic

*Approximate flowering time

To download a printable version visit nextmunelaboratories.co.uk/login



Nextmune Laboratories Limited, Unit 651, Street 5, Thorp Arch Trading Estate, Wetherby, UK, LS23 7FZ
T – 01494 629979 E – vetorders.uk@nextmune.com